

## Control questions

Stefano Ferrari (stefano.ferrari@unimi.it)

October 29, 2014

### 1 Vision

1. What law correlates the perceived brightness,  $B$ , with the intensity,  $I$ , of the visual stimulus?
  - (a) power law:  $I = k \cdot B^\gamma$
  - (b) linear law:  $I = k \cdot B$
  - (c) negative law:  $I = B_{\max} - k \cdot B$
  - (d) logarithmic law:  $I = k \log B$
  - (e) quadratic law:  $I = k_0 + k_1 B + k_2 B^2$
2. A visual stimulus can be discriminated from the background
  - (a) if its intensity is larger than 3 lm with respect to the background intensity
  - (b) if its duration is longer than 1 second
  - (c) if its shape is irregular
  - (d) if the difference between its intensity and the background intensity is higher than a threshold that depends on the background intensity
  - (e) if its intensity is lower than 3 lm with respect to the background intensity

### 2 Acquisition and representation of images

3. A light source is called monochromatic (or achromatic) if
  - (a) it is red
  - (b) it is composed of a narrow sub-band of the spectrum
  - (c) it is white
  - (d) the lightened object is gray
  - (e) it is used to obtain gray-level images
4. The light can be characterized for
  - (a) its frequency
  - (b) its radiance
  - (c) its luminance
  - (d) its brightness
  - (e) all of the above

5. Sampling refers to
- (a) choose the most appealing colors in the image
  - (b) obtain a measurement for each component of the sensor
  - (c) improve the perception of the objects in the image
  - (d) calibrate the sensor to improve the contrast
  - (e) the behavior of a defective sensor
6. Quantization refers to
- (a) the removal of the noise in the measurement
  - (b) the improvement of the contrast in the image
  - (c) the reduction of the number of pixel of an image
  - (d) assign a quantitative value to a qualitative estimate
  - (e) map the measurements of a sensor in a discrete number of possible values
7. If each pixel is coded using  $k$  bits, the maximum number of gray shades is
- (a)  $8k$
  - (b)  $k^2$
  - (c)  $2^k$
  - (d) 256
  - (e)  $2k$
8. The dynamic range of an image is
- (a) the ratio between the higher and the lower intensity level in the image
  - (b) the ratio between the numbers that code the white and the black
  - (c) the maximum difference in intensity between neighboring pixels in the image
  - (d) the ratio between the number of rows and columns of the image
  - (e) the number of bits per pixel

### 3 Topological structure of images

9. The neighborhood is
- (a) a relationship between pixels that is based on their value only
  - (b) a relationship between pixels that is based on their position only
  - (c) a measure of the closeness of the pixel color to the real color
  - (d) the set of the values used to code the gray levels of the image
  - (e) the distance of the pixel from the borders
10. The adjacency is a relationship between pixels that considers
- (a) only the color of the pixels
  - (b) only the position of the pixels
  - (c) only the distance of the pixel from the borders
  - (d) only the similarity of the pixels
  - (e) both the similarity and the position of the pixels

11. With reference to the following figure, the 4-neighborhood of the pixel  $p$ ,  $N_4$ , is

$p_1$	$p_2$	$p_3$
$p_4$	$p$	$p_5$
$p_6$	$p_7$	$p_8$

- (a)  $N_4 = \{p_1, p_2, p_3, p_4\}$
- (b)  $N_4 = \{p_1, p_3, p_6, p_8\}$
- (c)  $N_4 = \{p_1, p_3, p_5, p_7\}$
- (d)  $N_4 = \{p_2, p_4, p_5, p_7\}$
- (e)  $N_4 = \{p_2, p_3, p_4, p_6\}$

12. With reference to the following figure, the diagonal-neighborhood of the pixel  $p$ ,  $N_D$ , is

$p_1$	$p_2$	$p_3$
$p_4$	$p$	$p_5$
$p_6$	$p_7$	$p_8$

- (a)  $N_D = \{p_1, p_2, p_3, p_4\}$
- (b)  $N_D = \{p_1, p_3, p_6, p_8\}$
- (c)  $N_D = \{p_1, p_3, p_5, p_7\}$
- (d)  $N_D = \{p_2, p_4, p_5, p_7\}$
- (e)  $N_D = \{p_2, p_3, p_4, p_6\}$

13. With reference to the following figure, the 4-adjacent pixels to the pixel  $p$  are

$p_1$	$p_2$	$p_3$
$p_4$	$p$	$p_5$
$p_6$	$p_7$	$p_8$

- (a)  $\{p_2, p_3, p_5, p_6\}$
- (b)  $\{p_2, p_5\}$
- (c)  $\{p_2, p_3, p_5\}$
- (d)  $\{p_1, p_4, p_7, p_8\}$
- (e)  $\{p_2, p_4, p_5, p_7\}$

14. With reference to the following figure, the 8-adjacent pixels to the pixel  $p$  are

$p_1$	$p_2$	$p_3$
$p_4$	$p$	$p_5$
$p_6$	$p_7$	$p_8$

- (a)  $\{p_2, p_3, p_5, p_6\}$
- (b)  $\{p_2, p_5\}$
- (c)  $\{p_3, p_6\}$
- (d)  $\{p_1, p_4, p_7, p_8\}$
- (e)  $\{p_1, p_3, p_6, p_8\}$

15. A path in an image is

- (a) a sequence of adjacent pixels
- (b) a sequence of pixel having decreasing intensity
- (c) a subset of the border pixels
- (d) any vertical slice of the image

(e) a set of pixel having a predefined shape

16. A connected component is

- (a) any set of pixel with at least one element on the border
- (b) a set of pixel that are neighbors of the same pixel
- (c) a set of pixels that are connected through a path to the same pixel
- (d) any set of pixel with at least a white pixel
- (e) any set of pixel with the same intensity level

17. With reference to the following figure, which of the following are 8-paths?

$p_1$	$p_2$	$p_3$	$p_4$
$p_5$	$p_6$	$p_7$	$p_8$
$p_9$	$p_{10}$	$p_{11}$	$p_{12}$

- (a)  $\{p_2, p_3, p_7, p_{11}\}$
- (b)  $\{p_1, p_6, p_7, p_{12}\}$
- (c)  $\{p_2, p_3, p_8, p_{11}\}$
- (d)  $\{p_2, p_3, p_4, p_8\}$
- (e)  $\{p_7, p_6, p_1, p_5\}$

18. With reference to the following figure, which of the following are 4-paths?



$p_1$	$p_2$	$p_3$	$p_4$
$p_5$	$p_6$	$p_7$	$p_8$
$p_9$	$p_{10}$	$p_{11}$	$p_{12}$

- (a)  $\{p_2, p_3, p_7, p_{11}\}$
- (b)  $\{p_1, p_6, p_7, p_{12}\}$
- (c)  $\{p_2, p_3, p_8, p_{11}\}$
- (d)  $\{p_2, p_3, p_4, p_8\}$
- (e)  $\{p_7, p_6, p_1, p_5\}$



## 4 Intensity transformations

19. Which of the following pictures corresponds to  $T(I)$  for the given image  $I$  and transformation  $T$ ?








20. Which of the following pictures corresponds to  $T(I)$  for the given image  $I$  and transformation  $T$ ?




21. Which of the following pictures corresponds to  $T(I)$  for the given image  $I$  and transformation

$T?$ 

22. Which of the following pictures corresponds to  $T(I)$  for the given image  $I$  and transformation  $T$ ?





23. Which of the following pictures corresponds to  $T(I)$  for the given image  $I$  and transformation  $T$ ?




24. Which of the following pictures corresponds to  $T(I)$  for the given image  $I$  and transformation

$T?$



25. Which of the following pictures corresponds to  $T(I)$  for the given image  $I$  and transformation  $T$ ?





## 5 Histogram processing

26. The histogram of a digital image describes

- (a) the overall size of the image
- (b) the richness of details
- (c) the uniform distribution of the intensity levels
- (d) the number of neighbors for each pixel
- (e) the number of pixels for each intensity levels

27. Given the following image, which of the following array can be its histogram?

6	7	2	7
7	5	4	1
1	0	7	7

- (a)  $[-1 \ 1 \ 2 \ 0 \ 1 \ 1 \ 3 \ 5]$
- (b)  $[1 \ 0 \ 1 \ 2 \ 5 \ 1 \ 1 \ 1]$
- (c)  $[1 \ 1 \ 0 \ 1 \ 1 \ 5 \ 1 \ 2]$
- (d)  $[1 \ 2 \ 1 \ 0 \ 1 \ 1 \ 1 \ 5]$
- (e)  $[0 \ 1 \ 1 \ 1 \ 5 \ 2 \ 1 \ 1]$

28. Given the following image, which of the following array can be its histogram?

6	3	2	0
0	4	2	7
4	7	2	4

- (a)  $[3 \ 0 \ 0 \ 3 \ 2 \ 1 \ 1 \ 2]$

- (b) [2 0 3 1 3 0 1 2]
- (c) [3 2 1 4 0 3 0 - 1]
- (d) [2 0 3 1 3 3 0 0]
- (e) none of the above

29. Given the following image, which of the following array can be its histogram?

7	5	4	2
6	4	0	0
4	0	7	7

- (a) [3 0 1 0 3 1 1 3]
- (b) [3 - 1 3 3 0 1 1 2]
- (c) [1 0 3 0 1 1 3 3]
- (d) [1 3 3 3 0 1 1 0]
- (e) [1 1 1 3 3 3 0 0]

30. Given the following image, which of the following array can be its histogram?

6	6	3	2
6	3	4	2
6	6	4	0


- (a) [2 1 0 2 2 0 0 5]
- (b) [1 4 - 1 2 2 2 2 0]
- (c) [2 0 2 0 1 0 5 2]
- (d) [0 0 0 5 1 2 2 2]
- (e) none of the above

31. Given the following image, which of the following array can be its histogram?

5	0	7	7
1	5	4	1
5	3	5	5


- (a) [-1 0 3 - 1 0 1 7 3]
- (b) [5 2 0 1 2 0 1 1]
- (c) [1 3 2 0 0 1 5 0]
- (d) [0 5 0 1 2 1 2 1]
- (e) [1 2 0 1 1 5 0 2]

32. What can be inferred about the image that has the following histogram?



- (a) Surely, it must be equalized
- (b) Probably, it has a poor contrast
- (c) Probably, there is an excess of white pixels
- (d) It is the typical gamma function image
- (e) Probably, it cannot be equalized

33. What can be inferred about the image that has the following histogram?



- (a) Surely, it has a high contrast
  - (b) It has too many white pixels
  - (c) This histogram cannot belong to an image
  - (d) It should be darkened
  - (e) Probably, it is dark
34. Histogram equalization of digital images is a transformation
- (a) that can be applied only to dark images
  - (b) that can be applied only to monotonic histogram images
  - (c) that aims to obtain a uniform histogram image
  - (d) that allows to obtain a light image
  - (e) that preserves the details of all the shades
35. An image processed through histogram equalization usually
- (a) has the same number of pixels for each intensity level
  - (b) is lighter than its negative
  - (c) is more contrasted than the original
  - (d) is darker than the original
  - (e) is lighter in the center than in the border regions
36. The histogram equalization
- (a) maps the most used intensities into a larger range
  - (b) uniformly distributes the intensities
  - (c) sorts the intensities for their number of pixels
  - (d) swaps the most used with the least used intensities
  - (e) add some randomness to the intensities

37. What happens applying the histogram equalization more than one time?
- (a) The image becomes darker and darker
  - (b) The image becomes lighter and lighter
  - (c) Since the second time, the image does not change noticeably
  - (d) The image swaps between the equalized and the original
  - (e) Since the second time, the intensities tend to the mid-gray range
38. When could be useful to apply the histogram matching technique?
- (a) When the histogram of the image is not uniform, but because of the peculiarities of the scene represented in the image
  - (b) When there is an a-priori knowledge on the optimal intensity distribution
  - (c) When the standard histogram equalization does not provide a good result
  - (d) When we want to achieve a given distribution of the intensities
  - (e) In all the above cases
39. The histogram matching technique
- (a) is effective only for invertible images
  - (b) requires two histogram equalization processes
  - (c) should be avoided due to the numerical errors
  - (d) can be applied only on low contrasted images
  - (e) requires an already equalized image
40. Local histogram processing refers to
- (a) techniques that make use of the information derived from the histogram of sub-images
  - (b) techniques that make use of local computation to provide the histogram of the image
  - (c) techniques that approximate the histogram considering the mean intensity of sub-images
  - (d) techniques that approximate the histogram as the average histogram of a partition of the image
  - (e) none of the above

## 6 Spatial filtering

41. Spatial filtering consists in
- (a) computing the value for each pixel by considering the position of the pixel
  - (b) computing the value for each pixel by considering the value in a given neighborhood of the corresponding pixel of the original image
  - (c) computing the value for each pixel by considering the only the value in of the corresponding pixel of the original image
  - (d) computing the value for each pixel as a local average of intensities
  - (e) none of the above
42. A filter is called “linear” if
- (a) the value of the filtered pixel can be computed as a linear combination of the values of the neighborhood with fixed coefficients of the filter
  - (b) the coefficients of the filter are linearly related to their position in the filter mask



- (c) it can be applied to the image in linear time with respect to the number of pixels
- (d) the mask is a row or a column vector
- (e) all the element of the mask has the same value

43. The convolution

- (a) formalizes the linear spatial filtering operation
- (b) coincides with the correlation for symmetric filters
- (c) differs from the correlation only for the rotation of the filter mask
- (d) requires the extension of the image to be defined for each pixel
- (e) all the above

44. Giving the following image,  $f$ , and filter,  $w$ , the value for the central pixel resulting from the filtering is

$$f: \begin{array}{|c|c|c|} \hline 2 & 3 & 0 \\ \hline 1 & 4 & 3 \\ \hline 0 & 2 & 3 \\ \hline \end{array} \quad w: 1/9 \times \begin{array}{|c|c|c|} \hline 1 & 1 & 1 \\ \hline 1 & 1 & 1 \\ \hline 1 & 1 & 1 \\ \hline \end{array}$$

- (a) 3
- (b) 2.4
- (c) 2
- (d) 0
- (e) 4

45. Giving the following image,  $f$ , and filter,  $w$ , the value for the central pixel resulting from the filtering is

$$f: \begin{array}{|c|c|c|} \hline 2 & 3 & 0 \\ \hline 1 & 4 & 3 \\ \hline 0 & 2 & 3 \\ \hline \end{array} \quad w: \begin{array}{|c|c|c|} \hline 1 & 2 & 1 \\ \hline 0 & 0 & 0 \\ \hline -1 & -2 & -1 \\ \hline \end{array}$$

- (a) 1
- (b) -2
- (c) 2
- (d) 0
- (e) -4

46. The following filter computes

$$\begin{array}{|c|c|c|c|c|} \hline 0 & 1 & 2 & 1 & 0 \\ \hline 1 & 2 & 4 & 2 & 1 \\ \hline 2 & 4 & 8 & 4 & 2 \\ \hline 1 & 2 & 4 & 2 & 1 \\ \hline 0 & 1 & 2 & 1 & 0 \\ \hline \end{array} \times 1/48$$

- (a) the 8-th derivative of the image
- (b) the image Laplacian with diagonal contribution
- (c) the local arithmetic average of each pixel
- (d) the local standard deviation of each pixel
- (e) the local weighted average of each pixel

47. A smoothing filter

- (a) computes a local average
- (b) removes the small details
- (c) distribute the intensity of a bright pixel in its neighborhood
- (d) removes the noise
- (e) all of above

48. Given the following image, the output of the  $3 \times 3$  median filter for the central pixel is

2	3	0
1	4	3
0	2	3

- (a) 0
- (b) 1
- (c) 2
- (d) 3
- (e) 4

49. Given the following image, the output of the  $3 \times 3$  max filter for the central pixel is

2	3	0
1	4	3
0	2	3

- (a) 0
- (b) 1
- (c) 2
- (d) 3
- (e) 4

50. Given the following image, the output of the  $3 \times 3$  min filter for the central pixel is

2	3	0
1	4	3
0	2	3

- (a) 0
- (b) 1
- (c) 2
- (d) 3
- (e) 4

51. What is the results to apply iteratively a linear smoothing filter?

- (a) The resulting image becomes lighter and lighter
- (b) The resulting image becomes blurred and blurred at each iteration
- (c) The resulting image becomes smaller and smaller at each iteration
- (d) The resulting image alternatively swaps between the original image and its smoothed version
- (e) The resulting image does not change significantly from the one obtained after the first step

52. A sharpening filter

- (a) enhance the noise
- (b) operates on the border of the image
- (c) is based on the integral of the image
- (d) is a non-linear filter
- (e) all of the above

53. The Laplacian filter

- (a) is based on the second derivatives of the image
- (b) enhance the noise
- (c) can produce negative values
- (d) is a linear filter
- (e) all the above

54. How a Laplacian filter can be used to enhance an image?

- (a) Convolve the Laplacian filter with the image
- (b) Convolve the Laplacian filter with the image, scale the resulting image in the range  $[0, 255]$  and multiply pixel-wise to the original image
- (c) Convolve the Laplacian filter with the image, multiply the resulting image by a negative constant and sum to the original image
- (d) Sum the Laplacian filter pixel-wise to the original image
- (e) The Laplacian filter cannot be used for this task

55. The gradient of a digital image

- (a) is based on the second derivatives of the image
- (b) can be computed by mean of non-linear filters
- (c) is a two-value function
- (d) is used to smooth the image
- (e) none of the above

56. Which of the following is a Laplacian operator?

(a) 

-1	-1	-1
0	0	0
1	1	1

(b) 

1	1	1
1	-8	1
1	1	1

(c) 

1	1	1
1	8	1
1	1	1

(d) 

1	1	1
1	-4	1
1	1	1

(e) 

-1	-1	-1
-1	-8	-1
-1	-1	-1

57. Which of the following is the Sobel operator for computing the vertical derivative?

(a) 

-1	-1	-1
0	0	0
1	1	1

(b) 

-1	0	1
-2	0	2
-1	0	1

(c) 

0	-2	0
1	1	1
0	2	0

(d) 

-1	-2	-1
0	0	0
1	2	1

(e) 

-2	-2	-2
0	0	0
2	2	2

58. In the unsharp masking technique the regions with rapid change in intensity are obtained

- (a) by filtering through Sobel operators
- (b) as the difference between the image and its blurred copy
- (c) as the difference between the image and its Laplacian
- (d) by filtering with a bilinear filter
- (e) none of the above

## 7 Color images

59. Why the human vision system is able to perceive the colors?

- (a) In the retina there are cells that have a response proportional to the wavelength of the light
- (b) In the retina there are three kind of sensors which response is differentiated for the same wavelength
- (c) The cornea reacts proportionally to the wavelength of the incoming light and this information is sent to the retina
- (d) The retina adapts its activity to the environment brightness
- (e) The rods in the retina processes the color information in the fovea

60. The primary colors are

- (a) red, green, and blue, for additive composition
- (b) the colors composing which all the colors can be obtained
- (c) yellow, magenta, and cyan, for subtractive composition
- (d) the colors pair-wise composing which the secondary color can be obtained
- (e) all the above

61. The hue of a color is

- (a) its wavelength
- (b) its perceived brightness

- (c) its dominant color
  - (d) a measure of its closeness to white
  - (e) the mapping in the tristimulus space
62. Which of the following are true statements?
- (a) RGB is the color model used for light-emitting devices
  - (b) CMY is the color model used for light-reflective devices
  - (c) Any device can represent the same color spectrum
  - (d) HSI representation of each color can be computed from its RGB representation
  - (e) Each color is uniquely represented in HSI color space
63. A digital color image is usually represented by
- (a) three matrices, one for each component of the color space
  - (b) one matrices, with elements belonging to the real numbers
  - (c) six matrices, one for each vertex of the RGB cube
  - (d) none of the above
  - (e) all the above
64. Spatial filtering and other transformations (e.g., histogram equalization) can be applied to digital color images by applying them to
- (a) the intensity component
  - (b) all the components
  - (c) the components most suitable depending on the processing
  - (d) the average of the components
  - (e) none of the above

## 8 Image segmentation

65. Edge detection is an image processing technique for
- (a) finding the border of the image
  - (b) finding the most bright pixels in the image
  - (c) identifying the most external pixels of a region
  - (d) partitioning the images in homogeneous regions
  - (e) identifying those pixels where a discontinuity in the intensity occurs
66. Image discontinuities are important because
- (a) they can be used to model the dynamic range of the image
  - (b) they can be easily computed through the histogram analysis
  - (c) they are the points where the regions are not homogeneous and so they can be discarded
  - (d) since they occur usually on the border of the objects, they carry useful information on the scene
  - (e) all of the above
67. Discontinuity detection is operated through
- (a) region growing

- (b) smoothing filters
  - (c) derivative operators
  - (d) histogram matching
  - (e) none of the above
68. Edge detection can be easier realized if
- (a) the image is dark
  - (b) the image histogram is Gaussian
  - (c) the image is preprocessed by smoothing
  - (d) the image is negated before the detection
  - (e) the image is subdivided in  $4 \times 4$  blocks before the detection
69. A ramp edge is
- (a) a uniform change in the intensity
  - (b) a homogeneous region of the image
  - (c) the main result of a sharpening process
  - (d) an artifact that should not be considered
  - (e) a rapid increase in the intensity followed by a rapid decrease
70. A ramp edge
- (a) can be identified by the zero crossing in the second derivative
  - (b) can be considered an artifact of the histogram equalization
  - (c) can be part of a path which cross it
  - (d) can be removed by sharpening
  - (e) none of the above
71. The presence of noise
- (a) transforms the ramp edge in steps
  - (b) can be attenuated through sharpening
  - (c) makes the histogram equalization impossible
  - (d) makes the second derivative computation unreliable
  - (e) all the above
72. Gradient based edge detection
- (a) allows to identify bot the presence of an edge and its direction
  - (b) makes use of more than one operator
  - (c) can enjoy a smoothing preprocessing
  - (d) is made more difficult by the noise
  - (e) all the above
73. The thresholding of the gradient of an image aims to
- (a) select the points with higher discontinuity
  - (b) approximate the histogram equalization
  - (c) reduce the information to be processed
  - (d) smooth the resulting image

- (e) improve the histogram
74. The Marr-Hildreth edge detector
- (a) requires the zero crossing detection
  - (b) allows to operate at different scales
  - (c) uses the Laplacian of the Gaussian as discontinuity detector
  - (d) is computationally efficient because it encapsulate the smoothing and the derivative processing in a single operator
  - (e) all the above
75. The Canny edge detector
- (a) uses the gradient direction for a more robust edge detection
  - (b) is faster than the Marr-Hildreth edge detector
  - (c) requires the computation of the histogram
  - (d) uses a single threshold
  - (e) none of the above
76. Which of the following statement about the Canny edge detector are true?
- (a) computes the zero crossing as final stage
  - (b) uses a Gaussian smoothing as preprocessing
  - (c) uses the direction for selecting the more robust edge points
  - (d) uses the weak edge points as candidates to increase the strong edge point set
  - (e) uses a double threshold to select those points that are likely to be edge points
77. Which of the following statements are true differences between the Marr-Hildreth and the Canny edge detectors?
- (a) The Marr-Hildreth requires smoothing preprocessing
  - (b) The Canny operates using only one mask
  - (c) The Canny requires thresholding
  - (d) The Canny uses edges direction
  - (e) The Marr-Hildreth uses zero crossing
78. The Hough transform can be used for
- (a) detecting those pixels that belongs to an edge
  - (b) improving the efficiency of the spatial filtering
  - (c) finding the most probable lines in the image
  - (d) smoothing the edges
  - (e) none of the above
79. The Hough transform
- (a) takes into account the lines that pass through each pixel
  - (b) computes the most probable orientation of the image
  - (c) reduces the computational cost of the histogram
  - (d) processes the ramp edges in the image
  - (e) detects the uniform regions

80. Segmentation through thresholding
- (a) is easier in presence of non-uniform illumination
  - (b) is the simplest method for image segmentation
  - (c) makes use of the histogram information
  - (d) enjoys the dynamic range reduction
  - (e) can be improved adding some noise
81. Which of the following statements is true about the segmentation through thresholding technique?
- (a) using  $k$  thresholds, can provide a  $k + 1$  class partitioning
  - (b) can be speeded-up using the histogram information
  - (c) the threshold value can be adaptively computed
  - (d) can be used only for a two classes partitioning
  - (e) the threshold value must be fixed in advance
82. The use of the histogram to choose the segmentation threshold
- (a) is not affected by the uniformity of the illumination of the scene
  - (b) can be effective when there are only two well-separated peaks
  - (c) cannot be applied if the image is a gray-level image
  - (d) can make robust the choice in case of noise
  - (e) allows the detection of small objects
83. The global thresholding segmentation technique
- (a) is an iterative process based on the histogram difference among the classes
  - (b) is an iterative process based on the average intensities of the classes
  - (c) is an effective methods for all the images in real cases
  - (d) is operated exploiting the gradient information
  - (e) requires the smoothing as preprocessing step
84. Otsu's method
- (a) identifies the value of the threshold adaptively with respect to the position
  - (b) is a smoothing procedure based on the histogram of the classes
  - (c) is an iterative method based on the gradient information
  - (d) aims to find the optimal value of the threshold
  - (e) makes use of filtering to improve its efficiency
85. Which of the following statements about the Otsu's method are true?
- (a) It estimates the best threshold as the one that maximize the dissimilarity among the classes
  - (b) No other technique can provide a better segmentation with a single threshold
  - (c) It computes the goodness index for each possible value of the threshold
  - (d) It exploits the histogram information to gain efficiency
  - (e) It can be used only in a two classes scenario
86. Which of the following statements about the Otsu's method are true?
- (a) Sharpening preprocessing can improve the results when the illumination is not uniform



- (b) Sub-region processing can help when the illumination is not uniform
- (c) Edge selection can help when the size of the object is small
- (d) Smoothing preprocessing can help to cope with noise
- (e) Histogram smoothing can help with noise

87. Growing based segmentation

- (a) starts from some points that belong to the objects and adds the neighbors until a stopping criterion is met
- (b) starts from the corners of the images and grows diagonally until a pixel that belong to an object is met
- (c) starts from the peaks of the histogram and adds the similar intensities to the classes
- (d) starts from the darkest pixels and add the pixels with an improving intensity
- (e) requires the user interaction to set the directions of the growing

88. Which of the following statements about the segmentation through region splitting and merging are true?

- (a) It can be applied only to square images
- (b) It uses iterative smoothing for blending the regions
- (c) It is an iterative procedure structured in two phases
- (d) It makes use of the gradient information to decide the splitting direction
- (e) It makes use of the similarity between adjacent regions as merging criterion

89. Watershed is a technique used for

- (a) edge smoothing
- (b) image sharpening
- (c) histogram matching
- (d) image segmentation
- (e) image linear filtering

90. Which of the following statements about the watershed technique are true?

- (a) It is applied on the derivative of the image
- (b) At the end of the process, the histogram is uniform
- (c) It is based on the metaphor of the water rising from the ground
- (d) The regions are identified by the dams that are iteratively grown
- (e) At each iteration, a predefined number of pixels are assigned to each basin