



PyQB

Monga

Matplotlib
Graphical commands
OO plotting

Programming in Python¹

Mattia Monga

Dip. di Informatica
Università degli Studi di Milano, Italia
mattia.monga@unimi.it

Academic year 2021/22, II semester

¹ © 2022 M. Monga. Creative Commons Attribution — Condividi allo stesso modo 4.0 Internazionale. <http://creativecommons.org/licenses/by-sa/4.0/deed.it>



PyQB

Monga

Matplotlib
Graphical commands
OO plotting

Lecture XVI: Matplotlib

Matplotlib



PyQB

Monga

Matplotlib
Graphical commands
OO plotting

When you have arrays with many data it is useful to have a way to display them graphically.

- The most popular is `matplotlib`
<https://matplotlib.org/>
- Many other graphical frameworks (e.g., `seaborn`) based on it
- Many, many possibilities to tune your graphics! It's hard to master every detail.
- Be careful: it can be used with two different styles.
 - ① The (preferred) object-oriented way: clean and rational, but a bit more verbose
 - ② The procedural way: mostly useful only for "throw-away" scripts, but for this reason more common in the examples you can find online

Graphical output is an operating system service



PyQB

Monga

Matplotlib
Graphical commands
OO plotting

- Output is a service provided by the operating system: *textual* output is very standardized even across different platform, **graphics is not so stable**
- When you deal with graphical programs: expect installation headaches, portability glitches, etc.

A real world example



PyQB

Monga

Matplotlib
Graphical commands
OO plotting

On the Win10 platform where I try the programs:

- the current `matplotlib` library doesn't work: it installs, but when used it complains about missing DLLs (Dynamic libraries shared among the programs)
- according to the "Internet" ... the problem can be solved by installing Visual Studio (!): I didn't try...
- The last version I found working properly is 3.3.1: I will stick to that (thanks to the virtual environments this is not a problem)
- On other platforms (Linux, Mac): no problems, but better if we use all the same version

BTW, it depends on `numpy`

101

The OO style



PyQB

Monga

Matplotlib
Graphical commands
OO plotting

- You need always to objects: a `Figure` and a `Axes`
- plotting happens on axes, framed in a figure
- very flexible: you can add plots on the same axis, or you can have many axes collected in a single figure

102

Basic example



PyQB

Monga

Matplotlib
Graphical commands
OO plotting

```
import numpy as np
import matplotlib.pyplot as plt

x = np.linspace(-2*np.pi, 2*np.pi, 100)

fig, ax = plt.subplots()

ax.plot(x, np.sin(x))

fig.show()
```

103

Many different types of charts



PyQB

Monga

Matplotlib
Graphical commands
OO plotting

If `ax` is a `Axes`

- Scatter-plots `ax.scatter`
- Bar-plots `ax.bar`
- Histograms `ax.hist`
- 2D `ax.imshow`

104



PyQB

Monga

Matplotlib
Graphical commands
OO plotting

- add labels, legends, titles
- add a grid
- combine multiple plots on the same axis
- combine multiple axes on the same figure

105



PyQB

Monga

Matplotlib
Graphical commands
OO plotting

A `Figure` can be saved in a file with `savefig`. You should keep in mind the difference between:

- bitmap formats (png jpg ...): the file is matrix of pixels
- vector formats (svg pdf ...): the file is a set of instructions to reproduce the picture, less portable but it can be magnified

106